

REFERENCES

- A. Mohammed, M. A., Salmiaton, A., K. G. Wan Azlina, W. A., Mohammad Amran, M. S., Fakhru'l-Razi, A., & Taufiq-Yap, Y. H. (2011). Hydrogen rich gas from oil palm biomass as a potential source of renewable energy in Malaysia. *Renewable and Sustainable Energy Reviews*, 15, 1258–1270.
- Awalludin, M. F., Sulaiman, O., Hashim, R., & A. W. Nadhari, W. N. (2015). An overview of the oil palm industry in Malaysia and its waste utilization through thermochemical conversion, specifically via liquefaction. *Renewable and Sustainable Energy Reviews*, (50), 1469–1484. 3
- Aziz, A. A., Husin, M., & Mokhtar, A. (2002). Preparation of cellulose from oil palm empty fruit bunch via ethanol digestion: effect of acid and alkali catalyst. *Journal of Oil Palm Research*, 14(1), 9-14.
- Abdullah, N., & Sulaiman, F. (2013). The oil palm wastes in malaysia. *Biomass Now – Sustainable Growth and Use*, 3, 75-100.
- Aghamohammadi, N., Reginald, S. S., Shamiri, A., Zinatizadeh, A. A., Wong, L. P., & Binti Nik Sulaiman, N. M. (2016). An investigation of sustainable power generation from oil palm biomass: a case study in sarawak. *Sustainability*, 8, 119.
- Ambjörnsson, H. A., Schenzel, K., & Germgård, U. (2013). Microcrystalline cellulose produced at different mercerization condition and characterized by nir ft raman spectroscopy in combination with multivariate analytical methods. *BioResources*, 8(2), 1918-1932.
- Anwar, Z., Gulfraz, M., & Irshad, M. (2014). Agro-industrial lignocellulosic biomass a key to unlock the future bio-energy: A brief review. *Journal of Radiation Research and Applied Sciences*, 7(2), 163-173.

Barlianti, V., Dahnum, D., Hendarsyah, H., & Abimanyu, H. (2015). Effect of Alkaline Pretreatment on Properties of Lignocellulosic Oil Palm Waste. *Procedia Chemistry*, 16, 195-201. doi:10.1016/j.proche.2015.12.036

Bono, A., Ying, P. H., Yan, F. Y., Muei, C. L., Sarbatly, R., & Krishnaiah, D. (2009). Synthesis and characterization of microcrystalline cellulose from palm kernel cake. *Advances in Natural and Applied Sciences*, 3(1), 5-11.

Microcrystalline cellulose market trends. (2016, February). Retrieved from <http://www.strategyr.com/MarketResearch/infographTemplate.asp?code=MCP>

2031 Microcrystalline cellulose market will reach s\$1,039.8 million by 2019, expanding food and beverage. (2015, August 24). Retrieved from <http://www.prnewswire.com/news-releases/carboxymethyl-cellulose-marketwill-reach-us10398-million-by-2019-expanding-food-and-beverage-industry-to-drive-global-market-transparency-market-research-522683771.html>

Cellulose - Wikipedia. (n.d.). Retrieved December 9, 2016, from <https://en.wikipedia.org/wiki/Cellulose>

Cataldi, A., Dorigato, A., Deflorian, F., & Pegoretti, A. (2013). Thermo-mechanical properties of innovative microcrystalline cellulose filled composites for art protection and restoration. *Journal of Materials Science*, 49(5), 2035-2044. doi:10.1007/s10853-013-7892-6

Chang, S. H. (2014). An overview of empty fruit bunch from oil palm as feedstock for bio-oil production. *Biomass and Bioenergy*, 62, 174-181. doi:10.1016/j.biombioe.2014.01.002

Chuayjuljit, S., Su-uthai, S., & Charuchinda, S. (2010). Poly(vinyl chloride) film filled with microcrystalline cellulose prepared from cotton fabric waste: properties and biodegradability study. *Waste Management & Research*, 28(2), 109-117. doi:10.1177/0734242x09339324

- Das, K., Ray, D., Bandyopadhyay, N. R., Ghosh, T., Mohanty, A. K., & Misra, M. (2009). A study of the mechanical, thermal and morphological properties of microcrystalline cellulose particles prepared from cotton slivers using different acid concentrations. *Cellulose*, 16(5), 783-793. doi:10.1007/s10570-009-9280-6
- Elanthikkal, S., Gopalakrishnapanicker, U., Varghese, S., & Guthrie, J. T. (2010). Cellulose microfibrils produced from banana plant wastes: Isolation and characterization. *Carbohydrate Polymers*, 80(3), 852-859. doi:10.1016/j.carbpol.2009.12.043
- Embrandiri, A., Ibrahim, M. H., & Singh, R. P. (2013). Palm oil mill waste utilization; sustainability in the Malaysian context. *International Journal of Scientific and Research Publications*, 3(3), 1-7.
- Farhana Harun, N. A., Baharuddin, A. S., Mohd Zainuddin, M. H., Bahrin, E. K., Naim, M. N., & Zakaria, R. (2013). Cellulose production from treated oil palm empty fruit bunch degradation by locally isolated *Thermobifida fusca*. *BioResource*, 8(1), 676-687.
- Gunstone, F. (2011). ed. *Vegetable Oils in Food Technology: Composition, properties and Uses*. 2nd Edition. Electronic book: Blackwell Publishing.
- Hassan, S., Kee, L. S., Hussain, H., & Kayiem, A. (2013). Experimental study of palm oil mill effluent and oil palm fronds waste mixture as alternative biomass fuel. *Journal of Engineering Science and Technology*, 8(6), 703-712.
- Haafiz, M. M., Hassan, A., Zakaria, Z., Inuwa, I., Islam, M., & Jawaid, M. (2013). Properties of polylactic acid composites reinforced with oil palm biomass microcrystalline cellulose. *Carbohydrate Polymers*, 98(1), 139-145. doi:10.1016/j.carbpol.2013.05.069
- Henderson, J. & Osborne, D.J. (2000). The oil palm in all our lives: how this came about. *Endeavour*, 24, (2): 63-68.
- Hasnah, Fleming, E. & Coelli, T. (2004). Assessing the performance of a nucleus estate

and smallholder scheme for oil palm production in West Sumatra: a stochastic frontier analysis. *Agricultural Systems*, 79, (1): 17-30.

Hong, L. S., Ibrahim, D., & Omar, I. C. (2012). Oil palm frond for the production of bioethanol. *International Journal of Biochemistry and Biotechnology*, 1(1), 007-011.

Iberahim, N. I., Jahim, J. M., Harun, S., Nor, M. T., & Hassan, O. (2013). Sodium Hydroxide Pretreatment and Enzymatic Hydrolysis of Oil Palm Mesocarp Fiber. *International Journal of Chemical Engineering and Applications*, 101-105. doi:10.7763/ijcea.2013.v4.272

Ibrahim, S. M., Badri, K. H., & Hassan, O. (2012). A study on glycerolysis of oil palm empty fruit bunch fiber. *Sains Malaysiana*, 41(12), 1579-1585.

Johansson, B., & Alderborn, G. (2001). The effect of shape and porosity on the compression behaviour and tablet forming ability of granular materials formed from microcrystalline cellulose. *European Journal of Pharmaceutics and Biopharmaceutics*, 52(3), 347-357. doi:10.1016/s0939-6411(01)00186-2

Kim, D. M., Cho, E. J., Kim, J. W., Lee, Y. W., & Chung, H. J. (2014). Production of cellulases by penicillium sp. in a solidstate fermentation of oil palm empty fruit bunch. *African Journal of Biotechnology*, 13(1), 145-155.

Kong, S. H., Loh, S. K., Bachman, R. T., Rahim, S. A., & Salimon, J. (2014). Biochar from oil palm biomass: A review of its potential and challenges. *Renewable and Sustainable Energy Reviews*, 39, 729-739.

Khalil, H., Ismail, H., Rozman, H., & Ahmad, M. (2001). The effect of acetylation on interfacial shear strength between plant fibres and various matrices. *European Polymer Journal*, 37(5), 1037-1045. doi:10.1016/s0014-3057(00)00199-3

Lindsay, J. D., & Gullichsen, J. (1994). Pulp pulping and hydraulics. *Institute of Paper Science and Technology*.

Latif, A., Anwar, T., & Noor, S. (2007). Two-step synthesis and characterization of carboxymethylcellulose from rayon grade wood pulp and cotton linter. *Jour. Chem. Soc. Pak*, 29(2), 143-150.

Lin, S.W. (2011). Palm Oil. In: Gunstone, F.D., ed. *Vegetable Oils in Food Technology: Composition, properties and Uses*. 2nd Edition. Electronic book: Blackwell Publishing Ltd, 25-58.

Li, R., Fei, J., Cai, Y., Li, Y., Feng, J., & Yao, J. (2009). Cellulose whiskers extracted from mulberry: A novel biomass production. *Carbohydrate Polymers*, 76(1), 94-99. doi:10.1016/j.carbpol.2008.09.034

Mahlia, T., Abdulmuin, M., Alamsyah, T., & Mukhlisien, D. (2001). An alternative energy source from palm wastes industry for Malaysia and Indonesia. *Energy Conversion and Management*, 42(18), 2109-2118. doi:10.1016/s0196-8904(00)00166-7

Microcrystalline Cellulose (MCC) Market- Global Industry Analysis, Size, Growth and Forecast 2014-2020. (n.d.). Retrieved from <http://www.transparencymarketresearch.com/microcrystalline-cellulose-market.html>

Malaysia's biomass potential. (2012, October 10). Retrieved from <http://www.besustainablemagazine.com/cms2/malaysias-biomass-potential/>

Mohamad Haafiz, M., Eichhorn, S., Hassan, A., & Jawaid, M. (2013). Isolation and characterization of microcrystalline cellulose from oil palm biomass residue. *Carbohydrate Polymers*, 93(2), 628-634. doi:10.1016/j.carbpol.2013.01.035

Ng, F. Y., Yew, F. K., Basiron, Y., & Sndram, K. (2011). A renewable future driven with malaysian palm oil-based green technology. *Journal of Oil Palm & The Environment*, 2, 1-7.

Nacos, M., Katapodis, P., Pappas, C., Daferera, D., Tarantilis, P., Christakopoulus, P., & Polissiou, M. (2006). Kenaf xylan – A source of biologically active acidic oligosaccharides. *Carbohydrate Polymers*, 66(1), 126-134. doi:10.1016/j.carbpol.2006.02.032

Nasution, H., Yurnaliza, Veronicha, Irmadani, & Sitompul, S. (2017). Preparation and Characterization of Cellulose Microcrystalline (MCC) from Fiber of Empty Fruit Bunch Palm Oil. *IOP Conference Series: Materials Science and Engineering*, 180, 012007. doi:10.1088/1757-899x/180/1/012007

Rahnama, N., Mamat, S., Md Shah, U. K., Ling, F. H., Abdul Rahman, N. A., & Ariff, A. B. (2013). Effect of Alkali Pretreatment of Rice Straw on Cellulase and Xylanase Production by Local *Trichoderma harzianum* SNRS3 under Solid State Fermentation. *BioResources*, 8(2). doi:10.15376/biores.8.2.2881-2896

Ramli, R., Junaidi, N., H. Beg, M. D., & Yunus, R. M. (2015). Microcrystalline cellulose from oil palm empty fruit bunch fiber via simultaneous ultrasonic and alkaline treatment. *International Journal of Chemical, Molecular, Nuclear, Materials and Metallurgical Engineering*, 9(1), 8-11.

Rushdan, I., Latifah, J., Hoi, W. K., & M. Nor, M. Y. (2007). Commercial-scale production of soda pulp and medium paper from oil palm empty fruit bunch. *Journal of Tropical Forest Science*, 19(3), 121-126.

R. Emmyrafedziawati, A. K., & Stella, M. (n.d.). Hydrolysis of microcrystalline cellulose (mcc) by bacillus isolated from compost. *J. Trop. Agric. and Fd. Sc*, 43(2), 129-135.

Rajab Aljuboori, A. H. (n.d.). Oil palm biomass residue in malaysia: Availability and sustainability. *International Journal of biomass & renewables*, 13-18.

Ramin, M., Alimon, A. R., Panandam, J. M., Sijam, K., Javanmard, A., & Abdullah, N. (2008). Digestion of rice straw and oil palm fronds by microfloral from rumen and termite bacteria, in vitro. *Pakistan Journal of Biological Science*, 11(4), 583-588.

Reeves, R., Ribeiro, A., Lombardo, L., Boyer, R., & Leach, J. B. (2010). Synthesis and characterization of carboxymethylcellulose-methacrylate hydrogen cell scaffolds. *Polymers*, 2, 252-264.

R. Aljuboori, A. H. (n.d.). Oil palm biomass residue in malaysia: availability and sustainability. *International Journal of biomass & renewables*, 13-18.

S. Amin, N. A., Misson, M., Haron, R., A. Kamaroddin, M. F., N. W. Omar, W. N., & Haw, K. G. (2012). Bio-oil and diesel fuel derived from alkaline treated empty fruit bunch (EFB). *International Journal of Biomass & Renewables*, 1(6), 6-14.

Saputra, A. H., Qadhaiya, L., & Pitaloka, A. B. (2014). Synthesis and characterization of microcrystalline cellulose (mcc) from water hyacinth using ethanol-isobutyl alcohol mixture as the solvents. *International Journal of Chemical Engineering and Applications*, 5(1), 36-40.

Soom, R. M., Wan Hassan, W. H., Md Top, A. G., & Hassan, K. (2006). Thermal properties of oil palm fibre, cellulose and its derivatives. *Journal Of Oil Palm Research*, 18, 272-277.

Sawit Industry: History: First Palm Oil Mill in Malaysia [Web log post]. (n.d.). Retrieved from <http://thesawit.blogspot.my/2013/02/history-first-palm-oil-mill-in-malaysia.html>

Singh, M., Kanawjia, S., Giri, A., & Khetra, Y. (2014). Effect of Temperature and Microcrystalline Cellulose on Moisture Sorption Characteristics of Shredded Mozzarella Cheese. *Journal of Food Processing and Preservation*, 39(5), 521-529. doi:10.1111/jfpp.12257

Thoorens, G., Krier, F., Leclercq, B., Carlin, B., & Evrard, B. (2014). Microcrystalline cellulose, a direct compression binder in a quality by design environment—A review.

International Journal of Pharmaceutics, 473(1-2), 64-72.
doi:10.1016/j.ijpharm.2014.06.055

Wittaya, T. (2009). Microcomposites of rice starch film reinforced with microcrystalline cellulose from palm pressed fiber. *International Food Research Journal*, 16(4), 493–500.

Xiang, L. Y., P. Mohammed, M. A., & Samsu Baharuddin, A. (2016). Characterisation of microcrystalline cellulose from oil palm fibres for food applications. *Carbohydrate Polymers*, 148, 11-20. doi:10.1016/j.carbpol.2016.04.055

Zhang, F., Ren, H. W., & Li, J. P. (2013). Study of the Structural Properties of Microcrystalline Cellulose (MCC) Particles from Distillers Grains (DG) by XRD, FTIR and SEM. *Applied Mechanics and Materials*, 295-298, 339-344. doi:10.4028/www.scientific.net/amm.295-298.339